

WP-01-01

Decomposition - EUDI Wallet functional
requirements

VERSION 1.01

2026.07.22

/Cover page for the attached Excel spreadsheet
WP-01-01_Decomposition_Func_req_1.01.xlsx/

Document reference	WP-01-01
Version	1.01
Status	Final
Date	22.07.2026
Document type	Product requirement functional specification
Parent framework	GP-01
Scheme Owner	Republic of Poland / Minister of Digital Affairs
Certification target	EUDI Wallet Instance functionality
Primary audience	EUDI Wallet Provider, PID Provider
Secondary audience	CAB-ITSEF, CAB-CB
Assurance level <identity proofing CIR 2015/1502>	High
Subsidiary Documents	WM-01-01

History of changes

No.	Change	Version	Date
1.	Official version	1.0	2026-06-12
2.	Editorial corrections	1.01	2026-07-22

1 Introduction

- 1 The attached spreadsheet contains a summary of the functional requirements and application notes assigned to the decomposed Wallet Instance reference architecture, at the level of functional modules and their corresponding functionalities.
- 2 For each function, a mapping to the MVP solution was performed, based on currently available knowledge about the functionalities, modules, and the adopted architectural decomposition. This mapping is analytical in nature and may require further specification after the target architecture, implementation scope, and responsibilities of individual modules are clarified.
- 3 Each functional requirement is linked to the appropriate legal requirement stemming from implementing acts, indicated at the article level. These references are ancillary and serve to identify the regulatory framework for a given functionality. Final confirmation of compliance requires further verification at the level of detailed regulations, implementation scope, and documentation of the target solution.

2 Wprowadzenie

- 4 W załączonym arkuszu znajduje się zestawienie wymagań funkcjonalnych oraz not aplikacyjnych przypisanych do zdekomponowanej architektury referencyjnej Wallet Instance, na poziomie modułów funkcjonalnych i odpowiadających im funkcjonalności.
- 5 Dla każdej funkcji wykonano mapowanie do rozwiązania MVP, na podstawie aktualnie dostępnej wiedzy o funkcjonalnościach, modułach oraz przyjętej dekompozycji architektonicznej. Mapowanie ma charakter analityczny i może wymagać dalszej konkretyzacji, po doprecyzowaniu docelowej architektury, zakresu wdrożenia oraz granic odpowiedzialności poszczególnych modułów.
- 6 Każde wymaganie funkcjonalne zostało powiązane z odpowiednim wymaganiem prawnym wynikającym z aktów wykonawczych, wskazanym na poziomie artykułu. Odniesienia te mają charakter pomocniczy i służą identyfikacji podstawy regulacyjnej dla danej funkcjonalności. Końcowe potwierdzenie zgodności wymaga dalszej weryfikacji na poziomie szczegółowych przepisów, zakresu implementacji oraz dokumentacji rozwiązania docelowego.